

PAPER NAME 15-Application of Interpolation.pdf	AUTHOR Fajriana Fajriana
WORD COUNT 2031 Words	CHARACTER COUNT 11080 Characters
PAGE COUNT 7 Pages	FILE SIZE 768.5KB
SUBMISSION DATE Apr 26, 2023 11:29 PM GMT+7	REPORT DATE Apr 26, 2023 11:29 PM GMT+7

• 26% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

- Crossref Posted Content database
- 26% Submitted Works database

• Excluded from Similarity Report

- Internet database
- Crossref database
- Quoted material
- Small Matches (Less then 8 words)
- Publications database
- Bibliographic material
- Cited material

PAPER • OPEN ACCESS

Application of Interpolation Image by using Bi-Cubic Algorithm

b cite this article: Dahlan Abdullah et al 2018 J. Phys.: Conf. Ser. 1114 012066

Dew the article online for updates and enhancements.

You may also like

Weihua Guan

- <u>Electric current characteristic of anodic</u> <u>bonding</u> Jun He, Fang Yang, Wei Wang et al.
- <u>Controllable deformation of salt water-filled</u> <u>carbon nanotubes using an electric field</u> <u>with application to molecular sieving</u> Hongfei Ye, Yonggang Zheng, Zhongqiang Zhang et al.
- High fidelity moving Z-score based controlled breakdown fabrication of solidstate nanopore
 Kamyar Akbari Roshan, Zifan Tang and

Image: constraint of the sector of the sec

¹⁰his content was downloaded from IP address 180.241.47.99 on 03/11/2022 at 02:02

IOP Conf. Series: Journal of Physics: Conf. Series 1114 (2018) 012066 doi:10.1088/1742-6596/1114/1/012066

Application of Interpolation Image by using Bi-Cubic Algorithm

Dahlan Abdullah^{1*}, F Fajriana¹, M Maryana¹, Lidya Rosnita¹, Andysah Putera Utama Siahaan², Robbi Rahim², P Harliana³, H Harmayani⁴, Zainuddin Ginting⁵, Cut Ita Erliana⁶, Defi Irwansyah⁶, Z Zulmiardi⁷, Muammar Khaddafi⁸, Feby Milanie⁹, Henry Aspan⁹, Ismul Huda¹⁰, Kundharu Saddhono¹¹, Indrya Mulyaningsih¹², Roy Marthen Moonti¹³, Parwito¹⁴, Hardianto Djanggih¹⁵, Ainna Amalia¹⁶, Edy Winarno¹⁷ and Wiwien Hadikurniawati¹⁷

¹Department of Informatics, Universitas Malikussaleh, Aceh, Indonesia

²School of Computer and Communication Engineering, Universiti Malaysia Perlis,

¹²Jalaysia Department of Informatics Engineering, Sekolah Tinggi Teknik Harapan, Medan,

⁴Department of Informatics, AMIK Int² Com Global Indo, Indonesia ⁵Department of Chemical Engineering, Universitas Malikussaleh, Aceh, Indonesia ⁶Department of Industrial Engineering, Universitas Malikussaleh, Aceh, Indonesia

⁷Department of Mechanical Engineering, Universitas Malikussaleh, Aceh, Indonesia

⁸Department of Accounting, Universitas Malikussaleh, Aceh, Indonesia

⁹Universitas Pembangunan Panca Budi, Medan, Indonesia

¹⁰Universitas Syiah Kuala, Aceh, Indonesia

¹¹Graduate Program, Universitas Sebelas Maret, Surakarta, Indonesia

¹²Indonesian Language Teaching Department, Institut Agama Islam Negeri Syekh Nurjati Cirebon, Indonesia

¹³Department of Law, Universitas Gorontalo, Gorontalo, Indonesia

¹⁴Department of Agrotechnology, Universitas Ratu Samban, Bengkulu, Indonesia

¹⁵Department of Law, Universitas Tompotika Luwuk Banggai, Luwuk, Indonesia

¹⁶Islamic Institut of Miftahul Ula Kertosono Nganjuk, East Java, Indonesia

¹⁷Faculty of Information Technology, Universitas Stikubank, Semarang, Indonesia

*dahlan@unimar.ac.id

Abstract. Image magnification is one of the branches in digital image processing that is often required in various applications such as in the field of medicine, multimedia, and in satellite imagery. As technology grows, more and more methods are used for image enlargement. In this study, the image enlargement process performs by using Bi-Cubic spline interpolation method, and the result of image try to compare between the original one and picture after enlargement.



ontent from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. Published under licence by IOP Publishing Ltd

IOP Publishing

1. Introduction

The rapid development of computers today is constructive for humans to simplify and accelerate their work in all aspects of life. Delivery of data between two geographically dispersed areas can do in seconds, and significant data processing is done in a short time, one of the emerging technologies is the technology of shooting image.

The current shooting image can be done quickly using a smartphone with a very high resolution, this ease dramatically supports the importance of image processing [1, 2, 3] and picture quality improvement [1, 2, 3], but not all shooting image is performed with smartphones as well, another one using media such as CCTV. An image from CCTV is less clear and also the resolution is much smaller than smartphones [4], for small resolution problems can be accomplished by using zooming an image and hope the images become much more clear.

One way to solve the small resolution problem on zooming image [5] is to apply the Bi-Cubic interpolation [6] [7] [8] algorithm. Parsania [9] explained in his research that the image enlargement process can be done well using adaptive technique but it takes longer time, different with Wei-Chen Wu [8] using cubic spline interpolation with Edge curve scaling and smoothing technique to enlarge the image with good result but also takes a longer time.

Some of the previous Bi-Cubic Interpolation [10] [8] research has been discussed by Wu [8] in title *Edge Curve Scaling and Smoothing with Cubic Spline Interpolation for Image Up-Scaling* the experiment result can maintain the contour of the pixel and improve the sharpness of image [8]. Based on some research results, the authors feel interested in examining more deeply about Bi-cubic Spline Algorithm in the application, so it is known whether the quality of the resulting image by an algorithm or not.

2. Methodology

An ordinary Image already in two dimensions form [1] [11] [9]. From a mathematical point of yiew, the image is a continuous function of the intensity of light in a two-dimensional plane [11]. The light source illuminates the object, and the object reflects back part of the beam. This light reflection is captured by optical devices, such as the human eye, the camera and the scanner (scanner).

Image interpolation [7] occurs in all digital photos at a particular stage, such as during photo enlargement process. This happens whenever resizing or remapping (distorting) an image from onepixel box to another. Image enlargement is necessary when it needs to increase or decrease the number of pixels, while mapping can occur in a wide variety of scenarios: correct lens distortion, change perpective and rotate images.

Bi-Cubic interpolation is an extension of cubic interpolation. Bi-cubic interpolation can be achieved using either Lagrange polynomials, cubic splines, or cubic convolution algorithms. In image processing, Bi-Cubic interpolation is often chosen over bilinear interpolation when process speed is not a problem. The resampled image of the Bi-Cubic interpolation is more subtle than Cubic Interpolation. The model the Bi-Cubic interpolation method can be exemplified by the functional value f and the derivatives fx, fy and fxy known at all four angles (0, 0), (1.0), (0.1), and (1, 1) of the units square, then the formula can be written as:

$$p(x, y) = \sum_{i=0}^{3} \sum_{j=0}^{3} a_{ij} x^{i} y^{j}$$

Application of image enlargement by applying Bi-Cubic algorithm designed by using Visual C # language on Microsoft Windows 7 platform, the test is done with some image with varying image size, the size of the enlargement is also done with dynamic size so that the result of the expansion with various sizes.

IOP Conf. Series: Journal of Physics: Conf. Series 1114 (2018) 012066 doi:10.1088/1742-6596/1114/1/012066

IOP Publishing

3. Result and Discussion

Image zooming will change pixel density over the new mapping space that has been created, where the pixel size remains but the mapping space changes. Image magnification is done by increasing the size of the picture, this magnification will make a void pixel in the picture, and the zooming result looks like fragmented. The zoom image results in a widening occurring with a width (W) and height (H) image can write as formula below:

$$W = W x 2$$
$$H = H x 2$$

The bi-cubic interpolation algorithm works by estimating the color in an image pixel by calculating the average of 16 pixels residing around pixels that are similar to pixels in the source image, and the formula below gives an interpolation result applied to each component of red, green and blue. The last presentation m and n have a 4×4 grid length around pixels (i, j).

$$F(i',j') = \sum_{m=-1}^{2} \sum_{n=-1}^{2} F(i+m,j+n)R(m-dx)R(dy-n)$$

The function of the color values for bi-cubic expressed in R (x) could see below:

$$P(x) = \begin{cases} x & x > 0 \\ 0 & x < 0 \end{cases}$$

For the pseudocode process of the Bi-Cubic algorithm as follows:

Function 'Cubic_BSpline(X#) If X < 2 Then mp = X + 2If tmp 0 Then a = tmp * tmp * tmp tmp = X + 1If tmp > 0 Then B = 4 * tmp * tmp * tmp If X > 0 Then c = 6 * X * X * X tmp = X - 1If tmp > 0 Then d = 4 * tmp * tmp * tmp Cubic_BSpline = (a - B + c - d) / 6 End If End Function

For experiment image enlargement using application by applying the Bi-Cubic algorithm, the result of implementation can be seen as follows:

IOP Conf. Series: Journal of Physics: Conf. Series 1114 (2018) 012066 doi:10.1088/1742-6596/1114/1/012066



Figure 1. Bi-Cubic Application

For example, image enlargement testing is used in the picture with size 48×48 , and the image is then enlarged with the size 256×256 , here is the result of magnification with applications that implement the Bi-Cubic algorithm.



Figure 2. Bi-Cubic Result Application

Based on the tests performed, the image with Bi-Cubic method led to a reasonably bright image from the initial image, here are some results of image enlargement performed from several objects of different sizes:

IOP Conf. Series: Journal of Physics: Conf. Series 1114 (2018) 012066 doi:10.1088/1742-6596/1114/1/012066



 Table 1. Different Sample Results

Based on the experiment of image enlargement with a Bi-Cubic algorithm to some image with the variation of size, it obtained of good enough result enlargement and clear image too, experiments performed with the same image object using different algorithms such as Spline and Bell produce fairly good enlargement results although with some processes requiring a long time, compared to the Bi-Cubic algorithm is still faster with good results.

IOP Conf. Series: Journal of Physics: Conf. Series 1114 (2018) 012066 doi:10.1088/1742-6596/1114/1/012066

4. Conclusion

The use of a Bi-Cubic algorithm in image enlargement process can be done well with the various initial size of image, image enlargement result also bright to be seen visually. Subsequent research can combine several algorithms or compare some algorithms such as linear interpolation, Spline, Bi-Cubic Spline to determine the performance of each algorithm in doing image enlargement.

REFERENCES

- D. Apdilah, M. Y. Simargolang and R. Rahim, "A Study of Frei-Chen Approach for Edge Detection," International Journal of Scientific Research in Science, Engineering and Technology (IJSRSET), vol. 3, no. 1, pp. 59-62, 2017.
- [2] H. Harmayani and R. Rahim, "24 Bit Image Noise Reduction with Median Filtering Algorithm," International Journal of Recent Trends in Engineering & Research (IJRTER), vol. 3, no. 2, pp. 1-5, 2017.
- [3] A. Ikhwan and R. Rahim, "Implementation of Modified Median Filtering Algorithm for Salt & Pepper Noise Reduction on Image," *The International Journal Of Science & Technoledge*, vol. 4, no. 11, pp. 75-79, 2016.
- [4] W. Zou, J. Song and F. Yang, "Perceived Image Quality on Mobile Phones with Different Screen Resolution," *Mobile Information Systems*, vol. 2016, pp. 1-17, 2016.
- [5] R. Roy, M. Pal and T. Gulati, "Zooming Digital Images using Interpolation Techniques," *International Journal of Application or Innovation in Engineering & Management*, vol. 2, no. 4, pp. 34-45, 2013.
- [6] T. Narsimulu, B. Rama Raj and C. R. Laxmi, "High- Resolution Video Scaling using Cubic-B-Spline Approach," *International Journal of Computer Applications*, vol. 17, no. 3, pp. 8-16, 2011.
- [7] P. S. Parsania and P. V. Virpari, "A Review: Image Interpolation Techniques for Image Scaling," *International Journal of Innovative Research in Computer and Communication Engineering*, vol. 2, no. 12, pp. 7409-7414, 2014.
- [8] W.-C. Wu, T.-H. Wang and C.-T. Chiu, "Edge Curve Scaling and Smoothing with Cubic Spline Interpolation for Image Up-Scaling," *Journal of Signal Processing Systems*, vol. 78, no. 1, pp. 95-113, 2015.
- [9] P. S. Parsania and P. V. Virparia, "A Comparative Analysis of Image Interpolation Algorithms," *International Journal of Advanced Research in Computer and Communication Engineering*, vol. 5, no. 1, pp. 29-34, 2016.
- [10] S. Parveen and R. Tokas, "Faster Image Zooming using Cubic Spline Interpolation Method," International Journal on Recent and Innovation Trends in Computing and Communication, vol. 3, no. 1, pp. 22-26, 2015.
- [11] Safinaz S, "An Efficient Algorithm for Image Scaling with High Boost Filtering," *International Journal of Scientific and Research Publications*, vol. 4, no. 5, pp. 1-9, 2014.



• 26% Overall Similarity

Top sources found in the following databases:

- Crossref Posted Content database
 26
- 26% Submitted Works database

TOP SOURCES

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

Harrisburg University of Science and Technology on 2021-03-25 Submitted works	10%
UM Surabaya on 2022-12-16 Submitted works	4%
Visvesvaraya Technological University on 2014-12-11 Submitted works	2%
Charotar University of Science And Technology on 2022-09-30 Submitted works	2%
Multimedia University on 2018-02-05 Submitted works	2%
Sri Sathya Sai Institute of Higher Learning on 2017-03-31 Submitted works	1%
Segi University College on 2013-05-17 Submitted works	1%
Birkbeck College on 2023-03-03 Submitted works	<1%
Universitas Mulawarman on 2020-01-18 Submitted works	<1%

turnitin

10	California High School on 2023-04-14 Submitted works	<1%
11	Jawaharlal Nehru University (JNU) on 2015-04-08 Submitted works	<1%
12	Syiah Kuala University on 2017-09-07 Submitted works	<1%
13	University of Bristol on 2019-09-09 Submitted works	<1%